


**Figure 17**

**AGE-ADJUSTED\* DEATH RATES FOR ALL CAUSES OF DEATH  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..


**Figure 18**

**AGE-SPECIFIC DEATH RATES FOR ALL CAUSES OF DEATH  
MONTANA RESIDENTS, 1993-2002**



**Figure 19**

**AGE-ADJUSTED\* DEATH RATES FOR HEART DISEASE**  
**ICD-9: 390-398, 402, 404, 410-429; ICD-10: I00-I09, I11, I13,I20-I51**  
**MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..


**Figure 20**

**AGE-SPECIFIC DEATH RATES FOR HEART DISEASE**  
**ICD-9: 390-398, 402, 404, 410-429; ICD-10: I00-I09, I11, I13,I20-I51**  
**MONTANA RESIDENTS, 1993-2002**



**Figure 21**

**AGE-ADJUSTED\* DEATH RATES FOR CANCER  
ICD-9: 140-208; ICD-10: C00-C97  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available.


**Figure 22**

**AGE-SPECIFIC DEATH RATES FOR CANCER  
ICD-9: 140-208; ICD-10: C00-C97  
MONTANA RESIDENTS, 1993-2002**



**Figure 23**

**AGE-ADJUSTED\* DEATH RATES FOR CEREBROVASCULAR DISEASE**  
**ICD-9: 430-438; ICD-10: I60-I69**  
**MONTANA AND U.S. RESIDENTS, 1993-2002**



\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..

**Figure 24**

**AGE-SPECIFIC DEATH RATES FOR CEREBROVASCULAR DISEASE**  
**ICD-9: 430-438; ICD-10: I60-I69**  
**MONTANA RESIDENTS, 1993-2002**





Figure 25

**AGE-ADJUSTED\* DEATH RATES FOR CHRONIC LOWER RESPIRATORY DISEASES  
ICD-9: 490-496; ICD-10: J40-J49, J67\*\*\*  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..

\*\*\*The Frequencies for Montana were exactly the same for C.O.P.D. coded events


Figure 26

**AGE-SPECIFIC DEATH RATES FOR CHRONIC LOWER RESPIRATORY DISEASES  
ICD-9: 490-496; ICD-10: J40-J49, J67  
MONTANA RESIDENTS N, 1993-2002**



**Figure 27**

**AGE-ADJUSTED\* DEATH RATES FOR ACCIDENTS  
ICD-9: E800-E869, E880-E929; ICD-10: V01-X59, Y85-Y86  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..


**Figure 28**

**AGE-SPECIFIC DEATH RATES FOR ACCIDENTS  
ICD-9: E800-E869, E880-E929; ICD-10: V01-X59, Y85-Y86  
MONTANA RESIDENTS, 1993-2002**



**Figure 29**

**AGE-ADJUSTED\* DEATH RATES FOR MOTOR VEHICLE ACCIDENTS**  
**ICD-9: E810-E825; ICD-10: V02-V04, V09.0, V09.2, V12-V14 V19.0-V19.2, V19.4-V19.6, V20-V79,**  
**V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8 V88.0-V88.8, V89.0, V89.2**  
**MONTANA RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..


**Figure 30**

**AGE-SPECIFIC DEATH RATES FOR MOTOR VEHICLE ACCIDENTS**  
**ICD-9: E810-E825; ICD-10: V02-V04, V09.0, V09.2, V12-V14 V19.0-V19.2, V19.4-V19.6, V20-V79,**  
**V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8 V88.0-V88.8, V89.0, V89.2**  
**MONTANA RESIDENTS, 1993-2002**



**Figure 31**

**AGE-ADJUSTED\* DEATH RATES FOR NON-MOTOR-VEHICLE ACCIDENTS**  
**ICD-9: E800-E807, E826-E949 ; ICD-10: V01, V05-V08, V09.1, V09.3-V11, V15-V18,V19.3,  
 V19.7-V19.9, V80.1-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9 , V89.3-X59, Y85-Y86  
 MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available.


**Figure 32**

**AGE-SPECIFIC DEATH RATES FOR NON-MOTOR-VEHICLE ACCIDENTS**  
**ICD-9: E800-E807, E826-E949 ; ICD-10: V01, V05-V08, V09.1, V09.3-V11, V15-V18,V19.3,  
 V19.7-V19.9, V80.1-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9 , V89.3-X59, Y85-Y86  
 MONTANA RESIDENTS, 1993-2002**



**Figure 33**

**AGE-ADJUSTED\*DEATH RATES FOR PNEUMONIA AND INFLUENZA  
ICD-9: 480-487; ICD-10: J10-J18  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..


**Figure 34**

**AGE-SPECIFIC DEATH RATES FOR PNEUMONIA AND INFLUENZA  
ICD-9: 480-487; ICD-10: J10-J18  
MONTANA RESIDENTS, 1993-2002**



**Figure 35**

**AGE-ADJUSTED\* DEATH RATES FOR DIABETES  
ICD-9: 250; ICD-10: E10-E14  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..


**Figure 36**

**AGE-SPECIFIC DEATH RATES FOR DIABETES  
ICD-9: 250; ICD-10: E10-E14  
MONTANA RESIDENTS, 1993-2002**



**Figure 37**

**AGE-ADJUSTED\* DEATH RATES FOR SUICIDE  
ICD-9: E950-E959; ICD-10: X60-X84, Y87.0  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available.


**Figure 38**

**AGE-SPECIFIC DEATH RATES FOR SUICIDE  
ICD-9: E950-E959; ICD-10: X60-X84, Y87.0  
MONTANA RESIDENTS, 1993-2002**



**Figure 39**

**AGE-ADJUSTED\* DEATH RATES FOR NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS**  
**ICD-9: 580-589; ICD-10: N00-N07, N17-N19, N25-N27**  
**MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available.


**Figure 40**

**AGE-SPECIFIC DEATH RATES FOR NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS**  
**ICD-9: 580-589; ICD-10: N00-N07, N17-N19, N25-N27**  
**MONTANA RESIDENTS, 1993-2002**



**Figure 41**

**AGE-ADJUSTED\* DEATH RATES FOR ALZHEIMER'S DISEASE  
ICD-9: 331.0; ICD-10: G30  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available.


**Figure 42**

**AGE-SPECIFIC DEATH RATES FOR ALZHEIMER'S DISEASE  
ICD-9: 331.0; ICD-10: G30  
MONTANA RESIDENTS, 1993-2002**



**Figure 43**

**AGE-ADJUSTED\* DEATH RATES FOR CHRONIC LIVER DISEASE AND CIRRHOSIS  
ICD-9: 571; ICD-10: K70, K73-K74  
MONTANA AND U.S. RESIDENTS, 1993-2002**




\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..


**Figure 44**

**AGE-SPECIFIC DEATH RATES FOR CHRONIC LIVER DISEASE AND CIRRHOSIS  
ICD-9: 571; ICD-10: K70, K73-K74  
MONTANA RESIDENTS, 1993-2002**



**Figure 45**

**AGE-ADJUSTED DEATH RATES FOR HOMICIDE AND LEGAL INTERVENTION**  
**ICD-9 : 960-978; ICD-10 : Y35, X85-Y09, Y871, Y890**  
**MONTANA AND U.S. RESIDENTS, 1993-2002**



\* Adjusted with the direct method to the projected 2000 U.S. population.

\*\* The U.S. rate for 2001 is preliminary and the rate for 2002 is not yet available..

**Figure 46**

**AGE-SPECIFIC DEATH RATES FOR HOMICIDE AND LEGAL INTERVENTION**  
**ICD-9 : 960-978; ICD-10 : Y35, X85-Y09, Y871, Y890**  
**MONTANA RESIDENTS, 1993-2002**

